

## SAFETY DATA SHEET

## **1. COMPANY AND PRODUCT INFORMATION**

## **Product Name:**

Sundek SunMatte

Supplier Sundeck Products USA, Inc. 805 Ave. H Suite 508 Arlington, Texas 76011 For health and safety questions: Phone number (888) 390-0305 Fax number (817) 649-7292 E-mail: products@sundek.com For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300 Outside USA and Canada: 1-703-527-3887 (collect calls accepted)

## **2.** HAZARDS IDENTIFICATION

#### **Classification**

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 5
Acute toxicity - Inhalation (Vapors)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 2
Flammable liquids Category 2, Hazardous to the Aquatic Environment - Long	g Term (Chronic) Hazard Category 2

#### Label elements

#### **Emergency Overview**

Danger!

Hazard statements

Highly flammable Suspected of Causing Cancer Toxic to Aquatic Life with Long Lasting Effects Causes Serious Eye Irritation May Cause Respiratory Irritation May Cause Drowsiness or Dizziness May be Harmful if Swallowed May be Harmful if Swallowed and Enters Airways Causes Skin Irritation



Appearance Transparent Liquid

Physical state liquid

Odor Solvent

#### Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating / lighting/ .? / equipment Use only non-sparking tools Take action to prevent static discharges Avoid breathing dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Use only outdoors or in a well-ventilated area Avoid release to the environment Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

If skin irritation occurs: Get medical advice or attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contacts, if present and easy to do. Continue rinsing. If eve irritation persists: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF SWALLOWED: Immediately call a POISON CONTROL CENTER/doctor

Do NOT induce vomiting.

Take off contaminated clothing and wash before reuse

In case of fire use, "alcohol resistant" foam, dry chemical, halon or carbon dioxide to extinguish. Collect spillage

#### **Precautionary Statements - Storage**

Store in well-ventilated place. Keep Cool. Keep container tightly closed. Store locked up.

#### Precautionary Statements - Disposal

Dispose of contents/container in accordance with local/regional/national regulations.

#### Hazards not otherwise classified (HNOC)

Repeated exposure may cause skin dryness or cracking

## **3.** COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
tert-Butyl acetate	540-88-5	30 - 60	*
Dimethyl carbonate	616-38-6	30 - 60	*
Silicon Dioxide (Chemically prepared)	112926-00-8	10-30	*

## 4. FIRST-AID MEASURES

#### **Description of first aid measures**

General advice	Move out of the dangerous area. Consult a physician. Provide this Safety Data Sheet to the doctor in attendance.	
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.	
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.	
Ingestion	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Eye, Skin, and Respiratory Irritation.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically. For additional information, see Safety Data Sheet.	

## 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Dry Chemical, Alcohol Resistant Foam, Halon or Carbon Dioxide.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

In a fire or if heated a pressure increase may occur and the container may burst.

Hazardous combustion products Carbon dioxide (CO2). Carbon monoxide.

#### Explosion data

Sensitivity to Mechanical Impact Not available. Sensitivity to Static Discharge May be ignited by friction, heat, sparks or flames.

#### Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. Ensure adequate ventilation, especially in confined areas. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not allow product to enter any drains or waterways.

#### Methods and material for containment and cleaning up

# Methods for containmentPrevent further leakage or spillage if safe to do so. Dike to collect large liquid spills.Methods for cleaning upUse a non-combustible material like vermiculite or sand to soak up the product and place<br/>into a container for later disposal. Use clean non-sparking tools to collect absorbed<br/>material. Dispose according to local regulations.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Take measures to prevent the buildup of electrostatic charge. Use non-sparking tools. Wash hands and skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

#### Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep container tightly closed in a dry and well-ventilated place. Containers which are<br/>opened must be carefully resealed and kept upright to prevent leakage.

**Incompatible materials** Keep away from strong oxidizing agents, strong alkalis, and strong acids.

## 8. EXPOSURE CONTROLS, PERSONAL PROTECTION – EXPOSURE GUIDELINES

#### **Control parameters**

#### **Exposure Guidelines**

Dimethyl Carbonate - CAS 616-38-6: None Established. tert-Butyl acetate - CAS 540-88-5: TWA 200 ppm ACGIH, TWA 200 ppm OSHA PEL.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
tert-Butyl acetate	TWA: 200 ppm	TWA: 200 ppm	IDLH: 1500 ppm
540-88-5		TWA: 950 mg/m <sup>3</sup>	TWA: 200 ppm
		(vacated) TWA: 200 ppm	TWA: 950 mg/m <sup>3</sup>
		(vacated) TWA: 950 mg/m <sup>3</sup>	-
Silicon Dioxide (Chemically	-	(vacated) TWA: 6 mg/m <sup>3</sup>	-
Prepared)		TWA: 20 mppcf	
112926-00-8		: (80)/(% SiO2) mg/m <sup>3</sup> TWA	

#### Appropriate engineering controls

Engineering Controls General/Local Ventilation Recommended.

#### Individual protection measures, such as personal protective equipment

- **Eye/face protection** Wear safety glasses with side shields (or goggles).
- Skin and body protectionWear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,<br/>as appropriate, to prevent skin contact. Wear chemical resistant gloves at minimum. Wash<br/>skin immediately upon contact. Wash hands at mealtime and end of shift.
- **Respiratory protection** Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators.
- **General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice. Wash hands before and after breaks and at the end of the work day.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**10. STABILITY AND REACTIVITY** 

#### Information on basic physical and chemical properties

Physical state Appearance Color

#### **Property**

рΗ Melting point / freezing point Boiling point / boiling range Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density **Relative density** Water solubility Solubility in other solvents Partition coefficient Autoignition temperature **Decomposition temperature** Kinematic viscosity Dynamic viscosity **Explosive properties Oxidizing properties** 

#### **Other Information**

Softening point Molecular weight VOC Content (%) Density Bulk density liquid Transparent Liquid Transparent Liquid

#### **Values**

Not Relevant Not Available 149 °C 18.3 °C (65 °F) Not Available Not Relevant

7.0% 1.0% Not Available Not Available 1.056 @ 70 Degrees F Insoluble in water Not Available Not Available

Not Relevant Not Available No data available Not Available Not Available Odor Odor threshold Solvent No data available

#### Remarks · Method

CC (closed cup)

Reactivity Not Available

Chemical stability Stable. Possibility of Hazardous Reactions Hazardous polymerization does not occur. Conditions to avoid Heat, flames and sparks. Incompatible materials Keep away from strong oxidizing agents, strong alkalis, and strong acids. Hazardous Decomposition Products Hazardous decomposition products formed under fire conditions, carbon oxides.

## **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

#### **Product Information**

Inhalation	Direct contact and vapor inhalation.
Eye contact	Direct contact.
Skin contact	Direct contact.
Ingestion	Direct contact.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
tert-Butyl acetate 540-88-5	-	-	> 2230 mg/m³(Rat)4 h
Dimethyl carbonate 616-38-6	= 13000 mg/kg (Rat)	> 5 g/kg (Rabbit)	= 140 mg/L (Rat)4 h

#### Information on toxicological effects

#### Symptoms

May cause drowsiness or dizziness if inhaled. May cause respiratory irritation. Causes serious eye irritation. Causes skin irritation.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Serious eye damage/eye irritation	Causes severe burns. Irritating to skin. Irritating to eyes. Risk of serious damage to eyes.
Irritation	Irritating to eyes, respiratory system and skin.
Sensitization	No data available.
Germ cell mutagenicity	No data available.
Carcinogenicity	Transparent Liquid.

Chemical Name	ACGIH	IARC	NTP	OSHA
Silicon Dioxide (Chemically	-	Group 3	-	-
Prepared)				
112926-00-8				
Reproductive toxicity	Not Available	•		
STOT - single exposure	Not Available			
STOT - repeated exposure	Not Available			
Aspiration hazard	Not Available			

#### Numerical measures of toxicity - Product Information

## **12.** ECOLOGICAL INFORMATION

Material is expected to be harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

#### **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
tert-Butyl acetate	-	296 - 362: 96 h Pimephales	-
540-88-5		promelas mg/L LC50 flow-through	

#### Persistence and degradability

No data available.

#### **Bioaccumulation**

No data available.

Chemical Name	Partition coefficient
tert-Butyl acetate	1.38
540-88-5	

#### Other adverse effects

No data available.

## **13.** DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes

Under RCRA 40 CFR 261 this material is a hazardous waste. Dispose of in accordance with all federal, state, and local regulations. If uncertain of local requirements, contact the proper environmental authorities for information on waste disposal in your area. Contact a licensed professional waste disposal service to dispose of this material.

**Contaminated packaging** Dispose of in accordance with federal, state and local regulations.

## **14. TRANSPORT INFORMATION**

DOT	UN1263, PAINT RELATED MATERIAL, 3, II
Special Provisions	Can be shipped as ORM-D Consumer Commodity via Ground if packaged in single
	containers of less than 1 Liter.
Marine pollutant	Material is expected to be harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

IMDG

UN1263, PAINT RELATED MATERIAL, 3, II

## **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Does not comply
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA	311/312	Hazard	Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	Yes
Reactive Hazard	No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
tert-Butyl acetate 540-88-5	-	-	-	Х

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
tert-Butyl acetate	5000 lb	-	RQ 5000 lb final RQ
540-88-5			RQ 2270 kg final RQ
US State Degulations			

#### US State Regulations

## California Proposition 65

This product contains chemicals known to the state of California to cause birth defects or other reproductive harm

#### U.S. State Right-to-Know Regulations

#### U.S. EPA Label Information

16. OTHER INFORMATION				
NFPA	Health hazards 2	Flammability 3	Instability 0	Physical and Chemical Properties -
<u>HMIS</u>	Health hazards 2	Flammability 3	Physical hazards 0	Personal protection X
Issue Date Revision Date Revision Note	ion Date 27-May-2015			
No data available				

Disclaimer: The information and recommendations contained herein are, to the best of Sundeck Products knowledge and belief, accurate and reliable as of the date issued. Sundeck Products does not warrant or guarantee their accuracy or reliability, and Sundeck Products shall not be liable for any loss or damage arising out of their use thereof. The information and recommendations are offered for the users' consideration and examination, and it is the users' responsibility to satisfy itself that they are suitable and complete for its particular use.