

# SAFETY DATA SHEET

## **1. COMPANY AND PRODUCT INFORMATION**

## **Product Name:**

Sundek SunOne 80 Clear- Resin A

Supplier Sundeck Products USA, Inc. 805 Ave. H Suite 508 Arlington, Texas 76011 For health and safety questions: Phone number (888) 390-0305 Fax number (817) 649-7292 E-mail: products@sundek.com For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300 Outside USA and Canada: 1-703-527-3887 (collect calls accepted)

## **2.** HAZARDS IDENTIFICATION

### **Classification**

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Vapors)	Category 4
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable Liquids Category 3	

## Label elements

**Emergency Overview** 

 Danger!

 Hazard statements

 Suspected of Causing Cancer

 Toxic to Aquatic Life with Long Lasting Effects

 Causes Serious Eye Irritation

 May Cause Respiratory Irritation

 May Cause Drowsiness or Dizziness

 May be Harmful if Swallowed

 May be Harmful if Swallowed

 May be Harmful if Swallowed and Enters Airways

 Causes Skin Irritation

 Void Cause Transparent Liquid

 Physical state liquid
 Odor Solvent

## Sundek SunOne 80 Clear-Resin A

## Page 2 of 7

**Precautionary Statements - Prevention** Obtain special instructions before use Do not handle until all safety precautions have been read and understood

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed Ground/bond container and receiving equipment

Use explosion-proof electrical/ ventilating / lighting/ .? / equipment

Use only non-sparking tools

Take action to prevent static discharges

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Avoid release to the environment

Wear protective gloves/protective clothing/eye protection/face protection

## Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

If skin irritation occurs: Get medical advice or attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contacts, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF SWALLOWED: Immediately call a POISON CONTROL CENTER/doctor

Do NOT induce vomiting.

Take off contaminated clothing and wash before reuse

In case of fire use, "alcohol resistant" foam, dry chemical, halon or carbon dioxide to extinguish.

4.

Collect spillage

## **Precautionary Statements - Storage**

Store in well-ventilated place. Keep Cool. Keep container tightly closed. Store locked up.

## **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local/regional/national regulations.

### Hazards not otherwise classified (HNOC)

Repeated exposure may cause skin dryness or cracking

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
Polyol	Proprietary	60 - 100	*
1,1'-Methylenebis[(3-methylcyclohexyl-4)-2-amino- butanedioic acid], tetraethyl ester	136210-32-7	10 - 30	*
Ethyl 3-ethoxypropanoate	763-96-9	3-7	*

## FIRST-AID MEASURES

### Description of first aid measures

General advice	Move out of the dangerous area. Consult a physician. Provide this Safety Data Sheet to the doctor in attendance.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.

Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.	
Ingestion	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Eye, Skin, and Respiratory Irritation. May cause allergic skin reaction.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically. For additional information, see Safety Data Sheet.	

## FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Dry Chemical, Alcohol Resistant Foam, Halon or Carbon Dioxide.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

In a fire or if heated a pressure increase may occur and the container may burst.

Hazardous combustion products Carbon dioxide (CO2). Carbon monoxide.

5.

#### Explosion data

Sensitivity to Mechanical Impact Not available. Sensitivity to Static Discharge May be ignited by friction, heat, sparks or flames.

### Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Environmental precautions	Use personal protective equipment as required. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. Ensure adequate ventilation, especially in confined areas. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not allow product to enter any drains or waterways.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills.	
Methods for cleaning up	Use a non-combustible material like vermiculite or sand to soak up the product and place into a container for later disposal. Use clean non-sparking tools to collect absorbed	

material. Dispose according to local regulations.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling	Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoidbreathing dust/fume/gas/mist/vapours/spray. Keep away from heat, hot surfaces, sparks, open flames and otherignition sources. No smoking. Ground and bond container and receiving equipment. Take measures to prevent thebuildup of electrostatic charge. Use non-sparking tools. Wash hands and skin thoroughly after handling. Use onlyoutdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.	
Incompatible materials	Keep away from strong oxidizing agents, strong alkalis, and strong acids.	

## 8. EXPOSURE CONTROLS, PERSONAL PROTECTION – EXPOSURE GUIDELINES

Control parameters		
Exposure Guidelines	This product, as supplied, does not contain any hazardous materials with occupational	
Appropriate engineering controls	exposure limits established by the region specific regulatory bodies.	
Engineering Controls	General/Local Ventilation Recommended.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear chemical resistant gloves at minimum. Wash skin immediately upon contact. Wash hands at mealtime and end of shift.	
Respiratory protection	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators.	
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before and after breaks and at the end of the work day.	

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Upper flammability limit:

Physical state Appearance Color	liquid Transparent Liquid Transparent Liquid - May have slight color due to performance additives.	Odor Odor threshold	Solvent No data available
<u>Property</u> pH	<u>Values</u> Not Relevant	Remarks • Method	
Melting point / freezing point	Not Available		
Boiling point / boiling range Flash point	194°F (90°C) 58 °C 136.4 °F	CC (closed cup)	
Evaporation rate	Not Available		
Flammability (solid, gas)	Not Relevant		
Flammability Limit in Air			

**Transparent Liquid** 

#### Sundek SunOne 80 Clear-Resin A

Lower flammability limit:	Transparent Liquid
Vapor pressure	Not Available
Vapor density	Not Available
Relative density	.994 @ 70 Degrees
Water solubility	Insoluble in water
Solubility in other solvents	Not Available
Partition coefficient	Not Available
Autoignition temperature	Not Available
Decomposition temperature	Not Available
Kinematic viscosity	Not Available
Dynamic viscosity	Not Available
Explosive properties	Not Available
Oxidizing properties	Not Available
Other Information	

## **Other Information**

Softening point Molecular weight	Not Relevant Not Available
VOC Content (%)	< 400 g/L
Density	Not Available
Bulk density	Not Available

es F

## **10. STABILITY AND REACTIVITY**

## Reactivity

Not Available

**Chemical stability** Stable. **Possibility of Hazardous Reactions** Hazardous polymerization does not occur. Conditions to avoid Heat, flames and sparks. Incompatible materials Keep away from strong oxidizing agents, strong alkalis, and strong acids. Hazardous Decomposition Products Hazardous decomposition products formed under fire conditions, carbon oxides.

## **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	
Inhalation	Direct contact and vapor inhalation.
Eye contact	Direct contact.
Skin contact	Direct contact.
Ingestion	Direct contact.

## Information on toxicological effects

#### Symptoms

May cause drowsiness or dizziness if inhaled. May cause respiratory irritation. Causes serious eye irritation. Causes skin irritation.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes severe burns. Irritating to skin.
Serious eye damage/eye irritation	Irritating to eyes. Risk of serious damage to eyes.
Irritation	Irritating to eyes, respiratory system and skin.

Sensitization	No data available.
Germ cell mutagenicity	No data available.
Carcinogenicity	Transparent Liquid.
Reproductive toxicity	Not Available.
STOT - single exposure	Not Available.
STOT - repeated exposure	Not Available.
Aspiration hazard	Not Available.

## Numerical measures of toxicity - Product Information

## **12. ECOLOGICAL INFORMATION**

Material is expected to be harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

#### **Ecotoxicity**

Persistence and degradability No data available.

Bioaccumulation

No data available.

Other adverse effects

No data available.

## **13. DISPOSAL CONSIDERATIONS**

### Waste treatment methods **Disposal of wastes** Under RCRA 40 CFR 261 this material is a hazardous waste. Dispose of in accordance with all federal, state, and local regulations. If uncertain of local requirements, contact the proper environmental authorities for information on waste disposal in your area. Contact a licensed professional waste disposal service to dispose of this material. Contaminated packaging Dispose of in accordance with federal, state and local regulations. **14. TRANSPORT INFORMATION** UN1263, PAINT RELATED MATERIAL, 3, II DOT UN/ID no. 1263 **Hazard Class** 3 2 **Packing Group** Marine pollutant Material is expected to be harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment. **IATA** UN1263, PAINT RELATED MATERIAL, 3, II IMDG UN1263, PAINT RELATED MATERIAL, 3, II

## **15. REGULATORY INFORMATION**

International Inventories TSCA DSL/NDSL EINECS/ELINCS ENCS

Does not comply Does not comply Does not comply Does not comply

IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

#### Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 IECSC - China Inventory of Existing Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

 PICCS - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	Yes
Reactive Hazard	No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

16. OTHER INFORMATION						
NFPA	Health hazards 2	Flammability 2	Instability 0	Physical and Chemical Properties -		
<u>HMIS</u>	Health hazards 2	Flammability 2	Physical hazards 0	Personal protection X		
Issue Date Revision Date Revision Note No data available	12-May-2015 29-May-2015					

Disclaimer: The information and recommendations contained herein are, to the best of Sundeck Products knowledge and belief, accurate and reliable as of the date issued. Sundeck Products does not warrant or guarantee their accuracy or reliability, and Sundeck Products shall not be liable for any loss or damage arising out of their use thereof. The information and recommendations are offered for the users' consideration and examination, and it is the users' responsibility to satisfy itself that they are suitable and complete for its particular use.