

SAFETY DATA SHEET

COMPANY AND PRODUCT INFORMATION

Product Name:

Sundek SunEpoxy MVB Part A

Supplier Sundeck Products USA, Inc 805 Ave. H Suite 508 Arlington, Texas 76011 For health and safety questions: Phone number (888) 390-0305 Fax number (817) 649-7292 E-mail: products@sundek.com

1.

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident **Call CHEMTREC Day or Night**

Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2. HAZARDOUS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral		Category 4
Carcinogenicity		Category 2
Acute toxicity - Inhalation (Vapors)	Category 4	
Skin corrosion/irritation	Category 2	
Serious eye damage/eye irritation	Category 2A	
Specific target organ toxicity (single	exposure) Category 3	

Hazardous to the Aquatic Environment - Acute Hazard Category 2

Label elements

Emergency Overview

Danger!

Hazard Statements

Suspected of Causing Cancer Toxic to Aquatic Life with Long Lasting Effects May be Harmful if Swallowed Causes mild skin irritation Causes eye irritation



Appearance Colorless to Yellow

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Avoid release to the environment

Wear protective gloves/protective clothing/eve protection/face protection

Sundek SunEpoxy MVB Part A

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower If skin irritation occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contacts, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF SWALLOWED: Immediately call a POISON CONTROL CENTER/doctor Do NOT induce vomiting. Take off contaminated clothing and wash before reuse In case of fire use, "alcohol resistant" foam, dry chemical, halon or carbon dioxide to extinguish. Collect spillage Precautionary Statements - Storage Store in well-ventilated place. Keep Cool. Keep container tightly closed. Store locked up. **Precautionary Statements - Disposal** Dispose of contents/container in accordance with local/regional/national regulations. Hazards not otherwise classified (HNOC) Repeated exposure may cause skin dryness or cracking.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No	Weight-%	Trade Secret
Epoxy resin	Proprietary	60-100	*
Benzyl alcohol	100-51-6	10-30	*
*The exact percentage (concentration)	of composition has be	en withheld as a trade s	secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice	Move out of the dangerous area. Consult a physician. Provide this Safety Data Sheet to the doctor in attendance.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.
Ingestion	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	Eye, Skin, and Respiratory Irritation.
Indication of any immediate medica	al attention and special treatment needed
Note to physicians	Treat symptomatically. For additional information, see Safety Data Sheet.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry Chemical, Alcohol Resistant Foam, Halon or Carbon Dioxide.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

In a fire or if heated a pressure increase may occur and the container may burst.

Hazardous combustion productsCarbon dioxide (CO2). Carbon monoxide.

Explosion data

Sensitivity to Mechanical Impact Not available.Sensitivity to Static DischargeMay be ignited by friction, heat, sparks or flames.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. Ensure adequate ventilation, especially in confined areas. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.	
Environmental precautions		
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not allow product to enter any drains or waterways.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills.	
Methods for cleaning up	Use a non-combustible material like vermiculite or sand to soak up the product and place into a container for later disposal. Use clean non-sparking tools to collect absorbed material. Dispose according to local regulations.	
7. HANDLING AND STORAGE		
Precautions for safe handling		
Advice on safe handling	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.	

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.	
Incompatible materials	Keep away from strong oxidizing agents, strong alkalis, and strong acids.	

Handle in accordance with good industrial hygiene and safety practice.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines	Benzyl Alcohol, CAS Number 100-51-6, TWA 10.00 ppm, USA. Workplace Environmental Exposure Levels (WEEL).		
Appropriate engineering contro			
Engineering Controls	General/Local Ventilation Recommended.		
Individual protection measures	ires, such as personal protective equipment		

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear chemical resistant gloves at minimum. Wash skin immediately upon contact. Wash hands at mealtime and end of shift.
Respiratory protection	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before and after breaks and at the end of the work day.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	liquid Colorless to yellowish Transparent Liquid May have slight color due to performance additives	Odor Odor threshold	slight No data available
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range	<u>Values</u> Not Available Not Applicable Not applicable	Remarks • Method	
Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	252 °C 465 °F Not available Not Relevant	CC (closed cup)	
Upper flammability limit: Lower flammability limit: Vapor pressure	Not applicable Not applicable Not Available		
Vapor density Relative density	Not Available 1.16 @ 70 Degrees F		
Water solubility Solubility in other solvents Partition coefficient Autoignition temperature	Insoluble in water Not Available Not Available Not Available		
Decomposition temperature Kinematic viscosity Dynamic viscosity	Not Available Not Available Not Available		
Explosive properties Oxidizing properties	Not Available Not Available		

Other Information

Softening point	Not Relevant
Molecular weight	Not Available
VOC Content (%)	9 g/L
Density	Not Available
Bulk density	Not Available

10. STABILITY AND REACTIVITY

Reactivity

Not Available

<u>Chemical stability</u> Stable. <u>Possibility of Hazardous Reactions</u> Hazardous polymerization does not occur. <u>Conditions to avoid</u> Extremes of temperature and direct sunlight. Heat, flames and sparks. <u>Incompatible materials</u> Keep away from strong oxidizing agents, strong alkalis, and strong acids.

Hazardous Decomposition Products

Hazardous decomposition products formed under fire conditions, carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Direct contact and vapor inhalation.
Eye contact	Direct contact.
Skin contact	Direct contact.
Ingestion	Direct contact.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat)4 h

Information on toxicological effects

Symptoms

. May causes skin irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Serious eye damage/eye irritation Irritation Sensitization Germ cell mutagenicity Carcinogenicity	Irritating to skin. Irritating to eyes. Risk of serious damage to eyes. Irritating to eyes, respiratory system and skin. No data available. No data available. This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.		
Reproductive toxicity	No data available.		
STOT-single exposure	Not available.		
STOT-repeated exposure	Not available.		
Aspiration hazard	Not available.		
Numerical measures of toxicity	Product Information		

12. ECOLOGICAL INFORMATION

Material is expected to be harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Benzyl alcohol 100-51-6	35: 3 h Anabaena variabilis mg/L EC50	460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static	23: 48 h water flea mg/L EC50

Persistence and degradability

No data available.

Bioaccumulation

No data available.

Chemical Name	Partition coefficient
Benzyl Alcohol	
100-51-6	
Other adverse effects	No data available.

13. DISPOSAL CONSIDERATIONS

Waste	treatment	methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

<u>DOT</u> Marine pollutant	Not regulated Material is expected to be harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.	
IATA	Not regulated	
IMDG	Not regulated	
	15. REGULATORY INFORMATION	
International Inventories		
TSCA	Does not comply	
DSL/NDSL	Does not comply	
EINECS/ELINCS	Does not comply	
ENCS	Does not comply	
IECSC	Does not comply	
KECL	Does not comply	

AICS Sundek SunOne Base Color Pak

Legend:

PICCS

TSCA – United State Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances

Does not comply

Does not comply

RECE - Rolean Existing and Evaluated Onemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances **AICS** - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA	311/312	Hazard	Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	Yes
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

US State Regulations

California Proposition 65

This product contains chemicals known to the state of California to cause birth defects or other reproductive harm.

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION				
<u>NFPA</u>	Health hazards 2	Flammability 1	Instability 1	Physical and Chemical Properties -
<u>HMIS</u>	Health hazards 2	Flammability 1	Physical hazards 1	Personal protection X
Issue Date Revision Date Revision Note No data available	2/28/18			

Disclaimer:

The information and recommendations contained herein are, to the best of Sundeck Products knowledge and belief, accurate and reliable as of the date issued. Sundeck Products does not warrant or guarantee their accuracy or reliability, and Sundeck Products shall not be liable for any loss or damage arising out of their use thereof. The information and recommendations are offered for the users' consideration and examination, and it is the users' responsibility to satisfy itself that they are suitable and complete for its particular use.