

# MATERIAL SAFETY DATA SHEET

# 1. COMPANY AND PRODUCT INFORMATION

Product Name: Sundek Color Oxide Red

Supplier

Sundeck Products USA, Inc

805 Ave. H Suite 508 Arlington, Texas 76011

For health and safety questions: Phone number (888) 390-0305 Fax number (817) 649-7292

E-mail: products@sundek.com

For Chemical Emergency
Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300 Outside USA and Canada: 1-703-527-3887 (collect calls accepted)

## 2. GENERAL INFORMATION

Product Class: Inorganic Metal Oxide

**HMIS Codes:** H F R 1\* 0 0

\* Chronic Health Hazard

## 3. HAZARDS INGREDIENTS

 CAS #
 Weight %
 OSHA PEL
 ACGIH/TWA

 1309-37-1
 >=95%
 10 mg/m3
 5 mg/m3

### 4. PHYSICAL DATA

**Boiling Point:** N/A **Melting Point:** Begins at 1,000°C (1,832°F)

Freezing Point: N/A Solubility in Water: Insoluble

Physical State: Solid
Vapor Pressure: N/A Evaporation Rate: N/A

Bulk Density: 300-1000 kg/m3 Appearance: Red Powder Specific Gravity: 4 - 5 @ 20°C (68°F) Odor: Odorless

Percent Volatiles: N/A

Viscosity, Dynamic: N/A

Viscosity, Dynamic: N/A

pH: 4-8 @ 50 g/l

## 5. FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/E

Flammable Limits: LEL: N/A

UEL: N/A

**Autoignition Temperature:** N/A **Decomposition Temperature:** N/A

**Extinguishing media:** Material is not combustible. Use extinguishing media suitable for other

combustible materials in the area.

Special Fire Fighting Procedures: Firefighters should be equipped with self-contained breathing apparatus to

protect against potentially toxic and irritating fumes.

Sundek Color Oxide Red Page 2 of 4

## 6. REACTIVITY DATA

Stability: Stable

Hazardous Polymerization: Will not occur

Incompatibility (Material to Avoid): N/A

Hazardous Decomposition Products: None identified.

#### 7. HEALTH HAZARD DATA

**Primary Route of Entry:** Inhalation, Skin contact, eye contact and Ingestion.

**Medical Conditions Aggravated:** Respiratory disorders.

Carcinogencity: No NTP: No IARC: No OSHA Regulated: No

**LD50:** >5,000 mg/kg (rat)

LC50: >1,000 mg/l (Golden orfe (Leuciscus idus))

Eye Contact: May cause mechanical irritation.

Skin Contact: May cause mechanical irritation.

Inhalation: May cause mechanical irritation.

Component: Iron (III) Oxide

Prolonged inhalation (6 to 10 years) of iron oxide fume has been reported to produce changes in lung x-rays of exposed individuals. This condition, siderosis, is considered to be a begnign pneumoconiosis that exhibits no adverse health effects. Siderosis has been observed among occupations such as arc-welders where iron oxide fumes are preset. To the best of our knowledge, this condition has not been observed after

prolonged exposure to iron oxide pigments.

**Ingestion:** May be harmful, gastrointestinal irritation

#### 8. FIRST AID

**Eyes:** In case of contact, flush eyes with plenty of lukewarm water. Get medical attention if irritation develops.

**Skin:** In case of skin contact, wash affected areas with soap and water.

**Inhalation:** If inhaled, remove to fresh air. Get medical attention if irritation develops.

**Ingestion:** If ingested, do not induce vomiting unless directed to do so by medical personnel. Get medical attention.

### 9. SPECIAL PROTECTION INFORMATION

**Respiratory Protection:** The following respirator is recommended if airborne concentrations exceed the

appropriate standard/guideline, NIOSH approved, air-purifying particulare respirator with

N-95 filters.

**Ventilation:** Under normal conditions of use, special ventilation is not required.

**Eye Protection:** Chemical splash goggles or other approved safety glasses.

**Skin Protection:** No special skin protection requirements during normal handling and use.

Work and Hygienic Practices: Employees should wash their hands and face before eating, drinking, or using tobacco

products. Educate and train Employees in the safe use and handling of this product.

#### 10. SPILL OR LEAK PROCEDURES

Steps to be taken if material is released or spilled: Spills should be swept up and placed in appropriate containers for

disposal. Clean up promptly by scoop or vacuum. Avoid creating dusty conditions.

Waste Disposal Method: Dispose of material in compliance with all local, state and federal government

regulations.

**Empty Container Precautions:** Recondition or dispose of empty container in accordance with governmental regulations.

Sundek Color Oxide Red Page 3 of 4

#### 11. OTHER PRECAUTIONS

Storage Period: If stored under the correct conditions (no climatic influence, kept dry and no

extreme fluctuations in temperature) we expect that our products would have a shelf life of 5 years provided, however, the material has been stored correctly

and the packaging materials remain unchanged.

**Handling/Storage Precautions:** Protect against weathering. Store in a dry place and avoid extreme fluctuations

in temperature. Special conditions for opened packaging: Close bags after use

to prevent the absorption of moisture and contamination.

Further Info on Storage Conditions: Material can be stored safely at ambient temperatures.

#### 12. SHIPPING DATA

D.O.T. Shipping Name: Not regulated
Technical Shipping Name: Not regulated

D.O.T. Hazard Class: N/A UN/NA Number: N/A Reportable Quantity: None D.O.T. Labels Required: N/A

#### 13. REGULATORY INFORMATION

#### **United States Federal Regulations**

OSHA Hazcom Standard Rating: Hazardous

US Toxic Substances Control Act: Listed on the TSCA Inventory

US. EPA CERCLA Hazardous Substances (40 CFR 302): None

SARA 311/312 Hazard Class: Chronic Health Hazard

US. EPA Emergency Planning and community Right-To- Know Act (EPCRA) SARA Title III Section 302 Extremely

Hazardous Substance (40 CFR 355, Appendix A): None

US. EPA Emergency Planning and community Right-To- Know Act (EPCRA) SARA Title III Section 313 Toxic

Chemicals (40 CFR 372.65)-Supplier Notification Required: None

US. EPA Resource Conservation and Recovery Act (RCRA) Composite List of Hazardous Wastes and Appendix VIII Hazardous Constituents (40 CFR 261): If discarded in its purchased form, this product would not

be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

#### State Right-To-Know Information

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the MSDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

Potential exposure to some or all of the California Proposition 65 chemicals in this product have been determined to be below the No Significant Risk Level (NSRL). The concentrations reported below in units of parts per million (ppm) or parts per billion (ppb) are maximum values.

Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists:

1% Impurities

New Jersey Environmental Hazardous Substances List and/or New Jersey RTK Special Hazardous Substances Lists:

 Weight %
 Components
 CAS #

 0.7%
 Manganese
 7439-96-5

 0.29%
 Aluminum
 7429-90-5

Sundek Color Oxide Red Page 4 of 4

# 13. REGULATORY INFORMATION (cont)

# Pennsylvania Right to Know Special Hazard Substance List:

<u>Weight %</u>	<u>Components</u>	<u>CAS #</u>
0.075%	Chromium	7440-47-3
0.04%	Nickel (Ni)	7440-02-0

## MA Right to Know Extraordinarily Hazardous Substance List:

<u>Weight %</u>	<u>Components</u>	<u>CAS #</u>
0.075%	Chromium	7440-47-3
0.04%	Nickel (Ni)	7440-02-0

### California Prop. 65:

Warning! This product contains chemical(s) known to the State of California to be Carcinogenic.

<u>Weight %</u>	<u>Components</u>	<u>CAS #</u>
30 ppm	Cobalt	7440-48-4
0.04%	Nickel (Ni)	7440-02-0

### **Disclaimer:**

To the best of our knowledge, the information contained herein is accurate, obtained from sources believed by this company to be accurate.